


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	6/2/2017	DPD	JAG





NOTE:
REF. AGUSTA T/N: 3G6205G21631.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				1	CLAMP ASSY		RBW6205G25031-3G	1
				1	PULLER ASSY, HUB		RBW6205G25331-3G	1
				1	GUIDE BUSHING		RBW6205G25651-3G	1
				1	PROTECTION BUSHING, HUB		RBW6205G25751-3G	1
				1	PULLER ASSY, LEVER		RBW6205G25831-3G	1
				1	PROTECTION BUSHING, LEVER		RBW6205G26151-3G	1
				1	SPACER		RBW6205G26251-3G	1
				1	LEVER PROTECTION		RBW6205G26351-3G	1
		-1		1	CONTENTS PLACARD	PLASTIC		2
		B/O	-3	1	BOTTOM FOAM	ETHAFOAM 220, BLACK	8.67 X 17.97 X 29.01 (CASE SOLUTIONS)	3
		B/O	-5	1	TOP FOAM	ETHAFOAM 220, BLACK	1.77 X 18.10 X 29.19 (CASE SOLUTIONS)	4
		B/O	-7	1	CASE	PLASTIC	PELICAN #APP-1650-E	1
		B/O	-9	1	PUMP CYLINDER SET		5 TON (ENERPAC #SCR-55H)	N/S
		B/O		1	DART PLACARD	ALUMINUM	RB41011	N/S

TITLE TOOL M/R DAMPER ATTACHING BOLT REMOVAL	
DWG NO. RBW6205G21631-3G	REV 1
MAT'L REAT TREAT FINISH	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125✓
SPEC 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DD 05/18/2017 CHECKED: RJC 05/18/2017 OPPS APPR: AA 05/24/2017 QA APPR: JL 05/24/2017 APPROVED: JAG 06/02/2017	USED ON MODEL AW139
SCALE 1:10	DATE 5/18/2017
SHEET 1 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS							
REV	ECR	DESCRIPTION			DATE	INITIAL	APPROVED



NOTE:
USE PDF TO MANUFACTURE.


DART AEROSPACE	
TITLE TOOL M/R DAMPER ATTACHING BOLT REMOVAL	
DWG NO. RBW6205G21631-3G-1	REV 1
MAT'L PLASTIC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .010 FRACTIONS ± 1/8
FINISH	.XX ± .03 ANGLES ± 1°
SPEC	.X ± .1 SURFACES = 125° ✓
DRAWN BY: DD 05/18/2017	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 05/18/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 05/24/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 05/24/2017	USED ON MODEL
APPROVED: JAG 06/02/2017	AW139
SCALE 1:2	DATE 5/18/2017
SHEET 2 OF 4	

①
CONTENTS PLACARD


.06

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.



REV			REVISIONS		
REV	ECR		DESCRIPTION	DATE	INITIAL
					APPROVED





DETAIL A
SCALE 1 : 4



DETAIL B
SCALE 1 : 4






③
BOTTOM FOAM



DART AEROSPACE		
TITLE TOOL M/R DAMPER ATTACHING BOLT REMOVAL		
DWG NO. RBW6205G21631-3G-3	REV 1	
MAT'L ETHAFOAM 220, BLACK	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
HEAT TREAT	.XXX \pm .010 FRACTIONS \pm 1/8	
FINISH	.XX \pm .03 ANGLES \pm 1°	
SPEC	.X \pm .1 SURFACES = 125/	
DRAWN BY: DD 05/18/2017	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
CHECKED: RJC 05/18/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
OPPS APPR: AA 05/24/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
QA APPR: JL 05/24/2017	USED ON MODEL	
APPROVED: JAG 06/02/2017	AW139	
SCALE 1:6	DATE 5/18/2017	SHEET 3 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



(-5)
TOP FOAM

DART AEROSPACE	
TITLE TOOL M/R DAMPER ATTACHING BOLT REMOVAL	
DWG NO. RBW6205G21631-3G-5	REV 1
MAT'L ETHAFOAM 220, BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125°	
SPEC	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DD 05/18/2017	USED ON MODEL AW139
CHECKED: RJC 05/18/2017	
OPPS APPR: AA 05/24/2017	
QA APPR: JL 05/24/2017	
APPROVED: JAG 06/02/2017	
SCALE 1:8	DATE 5/18/2017
SHEET 4 OF 4	